ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 593–594 (2000) 507–510

Journal of Organometallic Chemistry

Contents of Volumes 593–594

Special double volume: Dedicated to Professor Fausto Calderazzo on the occasion of his 70th birthday. Guest Editor: Rinaldo Poli

Regular Papers

Novel η^3-allyl complexes of titanium
F.A. Cotton, C.A. Murillo, M.A. Petrukhina 1

Redox behavior of the molybdenum and tungsten metallafullerenes $Mo(CO)_3(dppe)(\eta^2\text{-}C_{60})$ (dppe = bis-(1,2-diphenylphosphino)ethane) and $W(CO)_3(dppb)(\eta^2\text{-}C_{60})$ (dppb = bis-(1,2-diphenylphosphino)benzene)
P. Zanello, F. Laschi, M. Fontani, L.-C. Song, Y.-H. Zhu 7

New dinuclear diphenylphosphido-bridged palladium(I) derivatives and the X-ray crystal and molecular structures of the mononuclear homoleptic diphenylphosphine complexes $Pd(PPh_2H)_4$ and $[Pd(PPh_2H)_4](BF_4)_2$
P. Leoni, F. Marchetti, S. Papucci, M. Pasquali 12

Carbon monoxide and tertiary phosphines as ligands in cyclopentadienyl derivatives of Group 4 elements in high oxidation state
G. Pampaloni, G. Tripepi 19

Preparation of trichloro- and tribromocyclopentadienyltungsten(IV)
H. Blackburn, J.C. Fettinger, H.-B. Kraatz, R. Poli, R.C. Torralba 27

The charge distribution on metal-bonded cyclopentadienyl rings from infrared intensities
P.L. Stanghellini, E. Diana, E. Boccaleri, R. Rossetti 36

Cyanide bridged trinuclear complexes with Fe–CN–MCl_2–NC–Fe backbones (M = Ni, Cu, Zn)
G.N. Richardson, H. Vahrenkamp 44

Glycosylmanganese pentacarbonyl complexes: an organomanganese-based approach to the synthesis of *C*-glycosyl derivatives
P. DeShong, E.D. Soli, G.A. Slough, D.R. Sidler, V. Elango, P.J. Rybczynski, L.J.S. Vosejpka, T.A. Lessen, T.X. Le, G.B. Anderson, W. von Philipsborn, M. Vöhler, D. Rentsch, O. Zerbe 49

Iridium clusters containing η^1 organic ligands: the synthesis and the solid state structure of $[Ir_4(CO)_{11}(CPh{=}CHPh)]^-$ and $[Ir_4(CO)_{14}(COOMe)_2]^{2-}$
R. Della Pergola, L. Garlaschelli, S. Martinengo, M. Manassero, M. Sansoni 63

1-Aza-1,3-butadiene complexes of tantalum: preparation and alkylation of $TaCl_2(\eta^5\text{-}C_5Me_5)(\eta^4\text{-}1\text{-aza-}1,3\text{-butadiene})$
K. Mashima, Y. Matsuo, S. Nakahara, K. Tani 69

Alkyne diruthenium chemistry
J. Kuncheria, H.A. Mirza, J.J. Vittal, R.J. Puddephatt 77

The use of macrocyclic and polydentate ligands in ruthenium organometallic chemistry
C. Stern, F. Franceschi, E. Solari, C. Floriani, N. Re, R. Scopelliti 86

Versatility of silica used as a ligand: effect of thermal treatments of silica on the nature of silica-supported alkyl tantalum species
L. Lefort, M. Chabanas, O. Maury, D. Meunier, C. Copéret, J. Thivolle-Cazat, J.-M. Basset 96

Organometallic crystals engineering: Part 7. Construction of mixed-metal crystalline systems via electrostatic interactions and cooperative strong and weak hydrogen bonds
D. Braga, L. Maini, F. Grepioni 101

Promotion of the [PPN][$Rh(CO)_4$]-catalysed carbonylation of nitrobenzene by 2-hydroxypyridine and related molecules: an apparent bifunctional activation
F. Ragaini, E. Gallo, S. Cenini 109

Effect of anions on the isocyanide insertion reaction in cationic alkyl complexes of iron(II): kinetic, thermodynamic and solution interionic structural studies
G. Bellachioma, G. Cardaci, A. Macchioni, C. Zuccaccia 119

Adducts of cyclotriphosphorus complexes: synthesis, solid state structure and solution behaviour of the bis-adducts [{(triphos)Co}(P_3){$M(CO)_5$}$_2$] [triphos = $MeC(CH_2PPh_2)_3$; M = Cr, Mo, W]
M. Di Vaira, M.P. Ehses, M. Peruzzini, P. Stoppioni 127

Facile oxidative addition/reductive elimination of HX (X = Cl, Br, I) on $(\mu\text{-}H)_2Os_3(CO)_{10}$
S. Aime, W. Dastrù, R. Gobetto, A. Viale 135

Synthesis, reactions and structure of bromo(η^5-diphenylphosphinylcyclopentadienyl)nickel(II) dimer
M.S. Blais, R.D. Rogers, M.D. Rausch 142

Reactivity of vinyl and alkynyl zirconium complexes with the di-*ansa*-[1,1′,2,2′-bis(dimethylsilanediyl) dicyclopentadienyl] ligand
F.J. Fernández, M.V. Galakhov, P. Royo 147

Catalytic and stoichiometric reactions of tertiary silanes with [Ir(Me_2)Cp*L] (Cp* = η^5-C_5Me_5; L = PMe_3, PMe_2Ph, $PMePh_2$, PPh_3) in the presence of one-electron oxidants. A unique case of Si–H, Si–C, Ir–C and P–F bonds one-step activation: crystal structure of [Ir(Ph)($SiPh_2F$)Cp*(PMe_3)]
P. Diversi, F. Marchetti, V. Ermini, S. Matteoni 154

Crystal and molecular structures of 4,4′-bis(dimethylhydroxysilyl)-biphenyl and *m*-bis(dimethylhydroxysilyl)benzene
D.M.L. Goodgame, P.D. Lickiss, S. Menzer, S.J. Rooke, D.J. Williams 161

Cyclopentadienyl transfer reaction: thermal reaction between $Re_2(CO)_{10}$ and a series of cyclopentadienyl transition metal complexes
S. Top, C. Lescop, J.-S. Lehn, G. Jaouen 167

Syntheses and structures of di- and trinuclear heterometallic complexes with nitrido bridges between rhenium and titanium
E. Gauch, H. Hoppe, J. Strähle 175

Stable alkynyl palladium(II) and nickel(II) complexes with terdentate PNO and PNN hydrazone ligands
A. Bacchi, M. Carcelli, M. Costa, A. Fochi, C. Monici, P. Pelagatti, C. Pelizzi, G. Pelizzi, L.M. Sanjuan Roca 180

A series of mono- and dihydrido- as well as mono- and dimethylosmium(II) complexes containing [(mes)Os(CNR)] as a building block
H. Werner, U. Wecker 192

Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of Ti(η^5-$C_5H_4PPh_2$)Cl_3
J.C. Flores, R. Hernández, P. Royo, A. Butt, T.P. Spaniol, J. Okuda 202

The oxo-synthesis catalyzed by cationic palladium complexes, selectivity control by neutral ligand and anion
E. Drent, P.H.M. Budzelaar 211

Conformational constraints and σ–π-vinyl interchange in μ_3-η^3-5,6-dihydroquinoline triosmium complexes
S.T. Beatty, B. Bergman, E. Rosenberg, W. Dastru, R. Gobetto, L. Milone, A. Viale 226

The $Co_3(CO)_9C$ moiety acts as an electroreducible marker for estradiol detection enhancement in the HPLC-ED technique
D. Osella, C. Nervi, L. Milone, F. Galeotti, A. Vessières, G. Jaouen 232

Aromatic arylation via palladacycles: interception of reaction intermediates
M. Catellani, E. Motti, L. Paterlini 240

Reaction of nickelocene with methyllithium in the presence of 2-butyne
S. Pasynkiewicz, A. Pietrzykowski, B. Kryza-Niemiec, L. Jerzykiewicz 245

Synthesis of 9-anthrylmethyl-functionalised cyclopentadienyl derivatives of rhodium(I) and iridium(I) and study of their luminescence properties
F. Cicogna, M. Colonna, J.L. Houben, G. Ingrosso, F. Marchetti 251

Absorption and luminescence as a function of pH for carboxylic acid-functionalized Re^I tricarbonyls
I. Costa, M. Montalti, P. Pallavicini, A. Perotti, L. Prodi, N. Zaccheroni 267

Vinylic, allylic and homoallylic oxidations of alkenes via π- and σ-organopalladium complexes
N.Y. Kozitsyna, M.N. Vargaftik, I.I. Moiseev 274

Dimerization of terminal alkynes catalyzed by indenyl ruthenium(II) complexes
M. Bassetti, S. Marini, F. Tortorella, V. Cadierno, J. Diez, M.P. Gamasa, J. Gimeno 292

Enantioselective hydride transfer hydrogenation of ketones catalyzed by [(η^6-*p*-cymene)Ru(amino acidato)Cl] and [(η^6-*p*-cymene)Ru(amino acidato)]$_3$(BF_4)$_3$ complexes
Á. Kathó, D. Carmona, F. Viguri, C.D. Remacha, J. Kovács, F. Joó, L.A. Oro 299

An experimental and theoretical study of the electronic and molecular structure of [$Zn_4(\mu_4$-S){μ-$S_2P(OC_2H_5)_2$}$_6$]: the first molecular model of ZnS
A. Albinati, M. Casarin, F. Eisentraeger, C. Maccato, L. Pandolfo, A. Vittadini 307

Synthesis, properties and reactivity of mononuclear Rh(I) and Ir(I) complexes of *s*- and *as*-hydroindacenide ligands
A. Bisello, A. Ceccon, A. Gambaro, P. Ganis, F. Manoli, S. Santi, A. Venzo 315

Synthesis and characterization of new paramagnetic nickel carbonyl clusters containing antimony atoms: X-ray structure of [NEt_3CH_2Ph]$_2$[Ni_{15}(μ_{12}-Sb)($CO)_{24}$] and [NEt_4]$_3$[$Ni_{10}Sb_2$(μ_{12}-Ni)($CO)_{18}$]
V.G. Albano, F. Demartin, C. Femoni, M.C. Iapalucci, G. Longoni, M. Monari, P. Zanello 325

New metallapyrrole complexes from [M_2(μ-$CNMe_2$)(μ-CO)($CO)_2$($Cp)_2$]SO_3CF_3 (M = Fe, Ru) and acetonitrile anions; structure of [(Cp)(CO)FeC(NMe_2)N(H)C(Me)C(CN)]
L. Busetto, C. Camiletti, V. Zanotti, V.G. Albano, P. Sabatino 335

Solution and solid–gas reactivity of unsaturated [RuCp(tmeda)]$^+$ (tmeda = $Me_2NC_2H_4NMe_2$)
C. Gemel, J.C. Huffman, K.G. Caulton, K. Mauthner, K. Kirchner 342

Highly reduced organometallics Part 49. Reaction of hexacarbonyltitanate(2 –) with azobenzene. Structural characterization of the first hydroxo-carbonyl of titanium [Ti_2(μ-$OH)_2$($CO)_8$]$^{2-}$
G. Tripepi, V.G. Young, Jr., J.E. Ellis 354

Synthesis and characterization of a first generation organorhenium dendrimer
I.J. Mavunkal, J.R. Moss, J. Bacsa 361

Synthesis of 1,3,5-tri- and 1,2,4,5-tetrasubstituted tin and mercury derivatives of benzene. Crystal structure of 1,3,5-tris(chloromercurio)benzene
N. Rot, F.J.J. de Kanter, F. Bickelhaupt, W.J.J. Smeets, A.L. Spek 369

Studies of the stereoselective allylation of chiral benzaldimine chromium tricarbonyl complexes
S. Maiorana, C. Baldoli, P. Del Buttero, E. Licandro, A. Papagni, M. Lanfranchi, A. Tiripicchio 380

Reaction of phenylacetylene with (butadiene)tantalocene cation
H.C. Strauch, G. Erker, R. Fröhlich 388

Solid state and solution structural studies of silver(I) cyclic complexes bearing the (Bzim)Ph_2P ligand
F. Bachechi, A. Burini, R. Galassi, A. Macchioni, B. Rosa Pietroni, F. Ziarelli, C. Zuccaccia 392

Structural properties of the metallointercalator cationic complex (2,2′:6′,2″-terpyridine)methylplatinum(II) ion
R. Romeo, L.M. Scolaro, M.R. Plutino, A. Albinati 403

Palladium-catalyzed synthesis of 2*E*-[(methoxycarbonyl)methylene]tetrahydrofurans: oxidative cyclization–methoxycarbonylation of 4-yn-1-ols versus cycloisomerization–hydromethoxylation
B. Gabriele, G. Salerno, F. De Pascali, M. Costa, G.P. Chiusoli 409

Ruthenium sulfophthalocyanine catalyst for the oxidation of chlorinated olefins with hydrogen peroxide
M. Bressan, N. Celli, N. d'Alessandro, L. Liberatore, A. Morvillo, L. Tonucci 416

Synthesis and structural characterization of the luminescent tetranuclear complex [NBu_4]$_2$[(C_6F_5)$_6$(μ-$OH)_3Pt_3HgCl$] with Pt–Hg bonds unsupported by covalent bridging ligands
J.M. Casas, L.R. Falvello, J. Forniés, J. Gomez, A. Rueda 421

New routes to the synthesis of chloro-carbonyls of palladium(II) and platinum(II)
D. Belli Dell'Amico, L. Labella 427

Pd(II) and Rh(I) chelate complexes of the bidentate phosphino–thiourea ligand $PhNHC(S)NHCH_2CH_2PPh_2$: structural properties and activity in homogeneous and hybrid catalysis
D. Cauzzi, M. Costa, N. Cucci, C. Graiff, F. Grandi, G. Predieri, A. Tiripicchio, R. Zanoni 431

Pt(IV) derivatives formed by oxidative addition of organic halides to [$Pt(CH_3)_2$(*N*,*N*-chelate)] substrates: geometric isomers at equilibrium
V. De Felice, B. Giovannitti, A. De Renzi, D. Tesauro, A. Panunzi 445

Ruthenium clay catalyzed reduction of α-iminoesters and α-iminoketones, and the reductive amination of α-ketoesters
R. Aldea, H. Alper 454

The synthesis, structure, and reactivity of the osmium(IV) trihydrido silyl complex, $OsH_3(SiMe_3)(CO)(PPh_3)_2$
M. Möhlen, C.E.F. Rickard, W.R. Roper, D.M. Salter, L.J. Wright 458

Reactions of binuclear ruthenium–platinum μ-allenyl complexes with nucleophilic and electrophilic reagents. The characterization of two 1:1 adducts of $L(PPh_3)Pt(\mu\text{-}\eta^1{:}\eta^2_{\alpha,\beta}\text{-}C(Ph)=C=CH_2)Ru(CO)Cp$ ($L = PPh_3$, *t*-BuNC) and *p*-toluenesulfonyl isocyanate
R.R. Willis, M. Calligaris, P. Faleschini, J.C. Gallucci, A. Wojcicki 465

Hydride elimination from an iridium(III) alkoxide complex: a case in which a vacant *cis* coordination site is not required
O. Blum, D. Milstein 479

Ruthenium-assisted synthesis of *gem*-deuterated alkenes from monosubstituted propargyl alcohols and D_2O
C. Bianchini, I. de los Rios, C. Lopez, M. Peruzzini, A. Romerosa 485

Convenient syntheses of novel ruthenium catalysts bearing *N*-heterocyclic carbenes
W. Baratta, W.A. Herrmann, P. Rigo, J. Schwarz 489

Synthesis and X-ray crystal structure of decamethylrhodocenium hexafluorophosphate
D. Buchholz, L. Zsolnai, G. Huttner, D. Astruc 494

Author Index of Volumes 593–594 497
Subject Index of Volumes 593–594 499
Contents of Volumes 593–594 507